talk about





Planning Information

Personal desks Individual tables Linking Table System Circular tables Standing tables Flexible communication with Sedus talk about.





There is no magic about speed. Sedus talk about responds to the most diverse requirements with short assembly and disassembly times and combines two systems in one: folding, individual table legs can be fixed into place with a simple turn and the T-leg can be folded up in seconds. Both options can be linked with sectors and interconnecting tops without the need for any tools and with no tedious tightening of screws. Design: bert&bert



Individual tables and interconnecting tops

Square, rectangualr and trapezoidal tables can be connected together with sectoral shapes to construct different table configurations. This is easily and quickly facilitated without tools, and allows for the building of the desired table arrangements that might suit any variety of meeting participants or communication methods.


Folding tables


Rectangular and square tables can be purchased with folding T-legs. This offers the highest degree of flexibility and user-friendliness when it comes to assembly, storage or re-configuration. (ill: left)


Personal desks


Mobile and parkable Personal desks add to the flexibility and broaden the potential applications of the talk about range. As well as being linkable they can also be fitted with an optional modesty panel. (ill: under)


Configuration examples (scale 1:100)
















| ► Tables with 4-leg frame Height 720 mm | | | | |
|--|-----|------|------|------|
| Depth 700 mm | | | | |
| Depth / Diagonal | 700 | 700 | 700 | 700 |
| Width | 700 | 1400 | 1400 | 1400 |
| Depth 800 mm | | | | |
| Depth / Diagonal | 800 | 800 | 800 | 800 |
| Width | 800 | 1400 | 1600 | 1600 |
| Depth | | 800 | | - |
| Width | - | 1600 | - | - |


| Table with folding T-leg Height 720 mm | |
|---|------|
| ble dimensions (in mm) | |
| Depth | 700 |
| Width | 1400 |
| Depth | 800 |
| Width | 1400 |
| Depth | 800 |
| Width | 1600 |

| Circular / Standing table | 88 | 000 000 |
|------------------------------|------|------------|
| Table dimensions (in mm) | | |
| Tops ø | 800 | 800 |
| Plate base ø | 750 | 900 |
| Height | 720 | 1060 |
| | | |
| Tops ø | 1100 | - |
| Plate base ø | 900 | - |
| Height | 720 | - |

| Interconnecting tops / Sectors | | | | | | |
|--------------------------------|-----|------|------|-----|-----|-----|
| Depth 700 mm | | | | | | |
| Depth / Diagonal | 700 | 700 | 700 | 700 | 700 | 700 |
| Width / Angle | 700 | 1400 | 1400 | 45° | 60° | 90° |
| Depth 800 mm | | | | | | |
| Depth / Diagonal | 800 | 800 | 800 | 800 | 800 | 800 |
| Width / Angle | 800 | 1400 | 1600 | 45° | 60° | 90° |
| Depth | _ | 800 | _ | _ | _ | |
| Width | - | 1600 | - | - | - | - |

Personal desks Height 720 mm

| | Height 720 mm | |
|----------------------|---------------|-----|
| Table dimensions (in | 1 mm) | |
| Depth | | 550 |
| Width | | 700 |



System summary

Accessories


Tables with removable legs

Tables with folding legs



Tables with folding T-leg

Fast link system for joining individual tables using a plastic clip





Media box with individual connection points



Cable tubing for guiding cables vertically



Cable channel and cable clips for optimal cable guidance

Anthracite modesty panels conceal the area under the table



Optional castors provide increased mobility

