


wiesner hager



— n.f.t. folding table





I'll appear to be interested in exciting events,
and will be happy to support every presentation.
I'll appear to be open to different opinions and
appreciative of animated discussions. I'll show
you everything – except that I am a folding table.

Except that I'm a folding table.


I'll show you everything!

Inspiringly simple.



Reduced design combined with a logical technology concept – this is what makes *n.f.t.* a congenial partner for event, seminar or meeting rooms. Amazingly multi-talented, with a wide range of finishes, a 4-leg or T-leg baseframe, maximum leg room, seating at the ends with the 4-leg table, and convenient operation. Options: linking, electrics and modesty panel.

Simply inspired.



The hinge mechanism is discreetly hidden from view. Its functions are concealed and at the same time simple, intuitive and safe to handle. Integrated protection ensures that the baseframe is not damaged by stacking.

Design: greutmann bolzern



Meetings ...

... made easy.

Emancipation at last for everyday office life! What used to be a matter of physical strength is now exceptionally easy. With its special lightweight top, *n.f.t.* is up to 9 kg lighter than with a standard top, depending on size – sympathising with those responsible for numerous reconfigurations.



Snack bar



Seminar

I am ready for anything.





Seminar



Training

A wealth of details.



Alternatives.



T-leg tables



Model	Format	Model	Format
3910-452	45/120	3910-724	70/120
3910-453	45/130	3910-726	70/130
3910-454	45/140	3910-728	70/140
3910-456	45/160	3910-732	70/160
3910-458	45/180	3910-736	70/180
3910-624	60/120	3910-824	80/120
3910-626	60/130	3910-826	80/130
3910-628	60/140	3919-828	80/140
3910-632	60/160	3910-832	80/160
3910-636	60/180	3910-836	80/180

Rectangular slot-in-leaves: dimensions according to table tops.

Connecting corner pieces

Model	Format
3911-026	70/70/R 70
3911-028	80/80/R 80

Stackability:
On transportation platform 6395, maximum stack size is 10 tables with standard tops, 12 tables with lightweight tops.
4-leg and T-leg tables can be stacked to the same height.



Wheelchair clearance as per Austrian standard ÖNORM B 1602.



4-leg tables

Model	Format	Model	Format
3920-452	45/120	3920-724	70/120
3920-453	45/130	3920-726	70/130
3920-454	45/140	3920-728	70/140
3920-456	45/160	3920-732	70/160
3920-458	45/180	3920-736	70/180
3920-624	60/120	3920-824	80/120
3920-626	60/130	3920-826	80/130
3920-628	60/140	3929-828	80/140
3920-632	60/160	3920-832	80/160
3920-636	60/180	3920-836	80/180

Design variations

Tabletops:

Standard laminate or HPL with ABS-edge, beech, maple, ash or oak veneer with laminated wood edge. Table tops lengths start from 140 cm with black metal reinforcement plinth. Optional for 4-leg tables: light-weight top, beech, maple, ash or oak veneer with laminated wood edge or HPL with ABS-edge, with black metal reinforcement plinth. Stained wood finish.

Slot-in leaves:

Finish same as table tops, but includes 4 pcs. of permanent linking devices.

Baseframe:

a choice of 4-leg or T-leg baseframes, adjustable plastic glides, built-in stack protection. Leg cross-section: 4-leg baseframe 35/35 mm, upright tubular T-leg baseframe support 30/50 mm, extended support foot 35/35 mm.

Hinge mechanism:

hinge fitting with lock, fold-out protection. Black plastic parts made from high-strength thermosetting plastics.

Modesty panel height 35 cm (option):

perforated steel plate, can be removed without tools. Tables cannot be stacked with the modesty panel fitted.

Linking device (option):

fast-link device 9130-000 (lateral table-to-table linking): plastic, clip-on. Fixed-link device 9131-000 (lateral table-to-table linking): black steel plate, fixed mounting. Two linking devices are required at each side of the table to join them together.

Electrics (option, for 4-leg tables only):

Square cable duct: powder-coated metal, with flap. Tables with cable ducts cannot be stacked.

Perfect partners.



update



outline



aluform_3

A-4950 Altheim
Linzerstraße 22
T +43 (7723) 460-0
F +43 (7723) 460-331
altheim@wiesner-hager.com

D-97080 Würzburg
Schürerstraße 3
T +49 (931) 3 55 85-0
F +49 (931) 3 55 85 85
wuerzburg@wiesner-hager.com

NL-6102 BJ Echt
Houtstraat 32 H
T +31 (475) 41 02 22
F +31 (475) 41 00 90
benelux@wiesner-hager.com

F-67201 Eckbolsheim
13, rue Ettore Bugatti
T +33 (3) 88 59 90 90
F +33 (3) 88 59 90 89
france@wiesner-hager.com

UK: Wiesner-Hager Ltd.
Level 3, Block B, Morelands
5-23 Old Street, London EC1V 9 HL
T +44 (020) 7490 3627
F +44 (020) 7490 0549
london@wiesner-hager.com

CZ-150 00 Praha 5
Drtinova 557/10
T +420 271 730 444
F +420 271 732 293
praha@wiesner-hager.cz
www.wiesner-hager.cz

CZ-396 01 Humpolec
Na Závodí 1357
T +420 565 501 411
F +420 565 501 419
humpolec@wiesner-hager.cz

CH: Zingg Lamprecht AG
Stationsstrasse 1-3
CH-8306 Brütisellen
T +41 (43) 255 70 50
F +41 (43) 255 70 98
info@zingg-lamprecht.ch

HU: Eon Design Kft.
Mecset utca 10
H-1023 Budapest
T +36 (1) 356 08 54
F +36 (1) 212 31 89
eondesign@t-online.hu

Certified acc. to:
ISO 9001 and ISO 14001